Contents Volume 183 (1996)

Root, shoot and soil parameters required for process-oriented models of crop growth limited by water or nutrients
M. van Noordwijk, S.C. van de Geijn **1–25**

Measurement of soil macropore geometry by image analysis of sections through impregnated soil
A.J. Ringrose-Voase **27–47**

Accumulation of selenium by different plant species grown under increasing sodium and calcium chloride salinity
G.S. Bañuelos, A. Zayed, N. Terry, L. Wu, S. Akohoue, S. Zambrzuski **49–59**

Grass species and soil type effects on microbial biomass and activity
P.M. Groffman, P. Eagan, W.M. Sullivan, J.L. Lemunyon **61–67**

Gaseous nitrogen losses from a soilless culture system in the greenhouse
D. Daum, M.K. Schenk **69–78**

Root distribution of grapefruit trees under dry granular broadcast vs. fertigation method
M. Zhang, A.K. Alva, Y.C. Li, D.V. Calvert **79–84**

pH mapping in transparent gel using color indicator videodensitometry
B. Jaillard, L. Ruiz, J.-C. Arvieu **85–95**

Effects of waterlogging on chickpeas
I. Influence of timing of waterlogging
A.L. Cowie, R.S. Jessop, D.A. MacLeod **97–103**

Effects of waterlogging on chickpeas
II. Possible causes of decreased tolerance of waterlogging at flowering
A.L. Cowie, R.S. Jessop, D.A. MacLeod **105–115**

Temporal patterns of soil nutrients in a Panamanian moist forest revealed by ion-exchange resin and experimental irrigation
J.B. Yavitt, S.J. Wright **117–129**

Resistance of *Urtica dioica* to mycorrhizal colonization: a possible involvement of *Urtica dioica* agglutinin
H. Vierheilig, B. Iseli, M. Alt, N. Raikhel, A. Wiemken, T. Boller **131–136**

Rainfed vetch-barley mixed cropping in the Syrian semi-arid conditions
I. Nitrogen nutrition using ^{15}N isotopic dilution
F. Kurdali, N.E. Sharabi, A. Arslan **137–148**

Rainfed vetch-barley mixed cropping in the Syrian semi-arid conditions
II. Water use efficiency and root distribution
A. Arslan, F. Kurdali **149–160**

Nitrogen losses due to denitrification from cattle slurry injected into grassland soil with and without a nitrification inhibitor
C.A.M. de Klein, R.S.P. van Logtestijn, H.G. van de Meer, J.H. Geurink 161–170

Equilibrium solution composition and exchange properties of disturbed and undisturbed soil samples from an acid forest soil
G. Matschonat, R. Vogt 171–179

Radial distribution of Ni in stemwood of *Quercus ilex* L. trees grown on serpentine and sandy loam (umbric leptosol) soils of NE-Portugal
C. Nabais, H. Freitas, J. Hagemeyer, S.-W. Breckle 181–185

The importance of sampling immature leaves for the diagnosis of boron deficiency in oilseed rape (*Brassica napus* cv. Eureka)
L. Huang, Z. Ye, R.W. Bell 187–198

In situ studies of soil mineral N fluxes: Some comments on the applicability of the sequential soil coring method in arable soils
R. Stenger, E. Priesack, F. Beese 199–211

The fate of fresh and stored ^{15}N-labelled sheep urine and urea applied to a sandy and a sandy loam soil using different application strategies
P. Sørensen, E.S. Jensen 213–220

Impact of residue quality on the C and N mineralization of leaf and root residues of three agroforestry species
B. Vanlauwe, O.C. Nwoke, N. Sanginga, R. Merckx 221–231

Effect of selenite and selenate on plant uptake and translocation of mercury by tomato (*Lycopersicum esculentum*)
K. Shanker, S. Mishra, S. Srivastava, R. Srivastava, S. Daas, S. Prakash, M.M. Srivastava 233–238

Root growth of triticale and barley grown for grain or for forage-plus-grain in a Mediterranean climate
S. Bonachela 239–251

Soil nitrogen dynamics along a gradient of long-term soil development in a Hawaiian wet montane rainforest
K. Kitayama 253–262

Measurement of rhizosphere respiration and organic matter decomposition using natural ^{13}C
W. Cheng 263–268

Plant genotype, micronutrient fertilization and take-all infection influence bacterial populations in the rhizosphere of wheat
Z. Rengel, R. Gutteridge, P. Hirsch, D. Hornby 269–277

Microbiological differences between limed and unlimed soils and their relationship with cavity spot disease of carrots (*Daucus carota* L.) caused by *Pythium coloratum* in Western Australia
K.A. El-Tarabily, G.E.St.J. Hardy, K. Sivasithamparam, I.D. Kurtböke 279–290

Diurnal cycle of carbon isotope ratio in soil CO_2 in various ecosystems
A. Dudziak, S. Halas 291–299

The effect of aluminium and media on the growth of mycorrhizal and nonmycorrhizal highbush blueberry plantlets
W.Q. Yang, B.L. Goulart, K. Demchak **301–308**

Translocation and effectiveness of foliar-fertilized boron in broccoli plants of varying boron status
B.J. Shelp, P. Vivekanandan, R.A. Vanderpool, A.M. Kitheka **309–313**

Diversity patterns of arbuscular mycorrhizal fungi associated with cacao in Venezuela
G. Cuenca, E. Meneses **315–322**

Methane flux from rice/wheat agroecosystem as affected by crop phenology, fertilization and water level
J.S. Singh, Smita Singh, A.S. Raghubanshi, Saranath Singh, A.K. Kashyap **323–327**